

Sectioning commands with critical notes

This file provides examples of using sectioning command with `eledmac`. The section titles are in the line numbering, and have critical and side notes.

We use the `\eledxxx` commands, each of them in their own `\pstart...\pend` group.

Page breaks are manually added before chapter with `\beforeeledchapter`.

Chapter 1

chapter

2 I use git to manage some packages. I would like to add a pre-commit hook,
3 to check if I have forgotten For now, I have a minimal pre-commit, which tests
4 only the blank spaces at ends of lines, but not the forgotten..

1.1 section

1.1.1 subsection

subsubsection

8 I use git to manage some packages. I would like to add a pre-commit hook,
9 to check if I have forgotten For now, I have a minimal pre-commit, which tests
10 only the blank spaces at ends of lines, but not the forgotten.

1.2 section

12 I use git to manage some packages. I would like to add a pre-commit hook,
13 to check if I have forgotten For now, I have a minimal pre-commit, which tests
14 only the blank spaces at ends of lines, but not the forgotten.

1 chapter] chapitre
6 subsection] sous-section
7 subsubsection] sous-sous-section

Chapter 2

chapter

16 I use git to manage some packages. I would like to add a pre-commit hook,
17 to check if I have forgotten For now, I have a minimal pre-commit, which tests
18 only the blank spaces at ends of lines, but not the forgotten..

2.1 section

2.1.1 subsection

subsubsection

22 I use git to manage some packages. I would like to add a pre-commit hook,
23 to check if I have forgotten For now, I have a minimal pre-commit, which tests
24 only the blank spaces at ends of lines, but not the forgotten.

2.2 section

26 I use git to manage some packages. I would like to add a pre-commit hook,
27 to check if I have forgotten For now, I have a minimal pre-commit, which tests
28 only the blank spaces at ends of lines, but not the forgotten.

15 chapter] chapitre
20 subsection] sous-section
21 subsubsection] sous-sous-section